

AGC-40-P65

Granular activated carbon, coconut shell, acid washed semi-moist, standard mesh (12x40) and prop 65 certified

ResinTech AGC-40 P65 is a semi moist 12 x 40 mesh coconut shell based granular activated carbon having medium mesh size and small pores. It is dust free and acid washed to neutralize pH and conductivity when first placed into use. AGC-40 P65 is intended for chlorine or NOM removal where rapid adsorption is required. It is California Prop 65 compliant and is Gold Seal Certified by the WQA for use in potable water applications.



FEATURES & BENEFITS

- Prop 65 Compliant For Drinking Water Applications
- Pre-Wetted Grades Are Free Of Dust And Easy To Handle
- Highest Surface Area And Activity
- Rapid Removal Of Chloramine
- Superior Physical Stability
- Pore Structure Carefully Controlled To Facilitate Adsorption

APPLICATIONS

- Dechlorination
- Drinking Water Purification
- Taste & Odor Correction
- Organics



Meets NSF/ANSI/CAN 61


AGC-40-P65

Physical Form	Carbonaceous Granules	Moisture Retention (%)	20 to 30
Particle Size US Mesh (µm)	12 (1680) to 40 (400)	Shipping Weight	37 - 39 lbs/cu.ft. (593 - 625 g/L)
< 50 mesh (300 µm) %	< 5%	Color	Black

CARBON SPECIFICATIONS

Min. Iodine Number (mg/gm) 950

BACKWASH EXPANSION



The graph above shows the expansion characteristics of ResinTech AGC-40-P65 as a function of flow rate at various temperatures.

SUGGESTED OPERATING CONDITIONS

Maximum Temperature	212°F (100°C)	Flow Rate	
Backwash Expansion (%)	15 to 25	Working Service	Depends on fluid viscosity. Contact ResinTech
Backwash Flow Rate	4-6 gpm/cu.ft. (32-48 BV/h)	Chlorine Removal	1 to 2 gpm/cu. ft.
Operating pH Range	5.0 to 8.0	Chloramine Removal	0.5 to 1.0 gpm/cu. ft.
Support Bed Depth (in)	12	Bed Depth (in)	
		Chlorine Removal	24
		Chloramine Removal	36

RELATED FILTERS

AF-XX-10XX (Prop65)



SAFETY DATA SHEETS (SDS)

Safety Data Sheets (SDS) are available for all products on the ResinTech website. They contain important health and safety information that may be needed to protect your employees and customers from any known health and safety hazards associated with our products. We recommend that you secure and study the pertinent MSDS for our products and any other products being used.

These suggestions and data are based on information we believe to be reliable. They are offered in good faith. However we do not make any guarantee or warranty. We caution against using these products in an unsafe manner or in violation of any patents; further we assume no liability for the consequences of any such actions.

Safety Data Sheets (SDS) are available at [resintech.com](https://www.resintech.com)

Page 3 of 3

Last Update: 10-Apr-26

