



LED COURANT

Under Cabinet Lighting with Power Receptacles



SEE THE LIGHT, FEEL THE POWER

The LED Courant takes undercabinet task lighting to the next level with built-in, 15A, tamper resistant power receptacles. With a quick-access wiring compartment and convenient push-in wire connectors, the LED Courant removes the visual clutter of in-wall receptacles while providing 90 CRI white light with 5CCT color temperature selection.

- 15A tamper resistant receptacles built in
- Diffused lens for smooth, evenly distributed light
- 5CCT selection (2700K, 3000K, 3500K, 4000K, 5000K)
- Multiple length options to fit any need
- Low profile design – less than 2" high
- Dimmable with most Triac and ELV Dimmers
- Direct wire installation
- 35,000 hours rated life

FEATURES & BENEFITS



5CCT COLOR SELECTION



OUT OF SIGHT, OUT OF MIND

By moving the power receptacles off the wall and into the body of the LED Courant itself, wall space is instantly cleared of visual clutter, giving a clean and modern aesthetic to any space. Clear your mind of clutter by clearing your backsplash of clutter.

MULTIPLE LENGTHS FOR MULTIPLE USES

There is no one-size-fits-all solution for undercabinet lighting. Which is exactly why the LED Courant comes in six different size variations. Starting at 8" and going all the way up to 40", the LED Courant is built to fit whatever space it needs to.

LENGTH	DEPTH	HEIGHT	RECEPTACLE QTY
8"	3"	1.5"	0
12"	3"	1.5"	1
18"	3"	1.5"	2
24"	3"	1.5"	2
32"	3"	1.5"	2
40"	3"	1.5"	2



EASY-TO-INSTALL DIRECT WIRING

Direct wire installation is a simple process with the LED Courant's quick-access door for wiring components, large 3/4" knockouts, push-in wire connectors, and all installation hardware included. We recommend two separate 120V wire pulls, one for the dimmable light source and one for the power receptacles, so a simple wiring process saves time on installation.




Illustration shown as LED light and receptacles wired on separate circuits.

ITEM NUMBER	Color Temperature	LENGTH	VOLTAGE	LUMENS	WATTAGE	CRI	RECEPTACLES
UCR-5CCT-8-WH	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	8"	120V AC	435Lm	5W	90	0
UCR-5CCT-8-BK	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	8"	120V AC	390Lm	5W	90	0
UCR-5CCT-12-WH	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	12"	120V AC	630Lm	7.5W	90	1
UCR-5CCT-12-BK	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	12"	120V AC	525Lm	7.5W	90	1
UCR-5CCT-18-WH	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	18"	120V AC	995Lm	12W	90	2
UCR-5CCT-18-BK	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	18"	120V AC	880Lm	12W	90	2
UCR-5CCT-24-WH	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	24"	120V AC	1180Lm	15W	90	2
UCR-5CCT-24-BK	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	24"	120V AC	1080Lm	15W	90	2
UCR-5CCT-32-WH	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	32"	120V AC	1625Lm	20W	90	2
UCR-5CCT-32-BK	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	32"	120V AC	1440Lm	20W	90	2
UCR-5CCT-40-WH	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	40"	120V AC	2000Lm	25W	90	2
UCR-5CCT-40-BK	5CCT (2700K, 3000K, 3500K, 4000K, 5000K)	40"	120V AC	1790Lm	25W	90	2



AMERICAN LIGHTING

For the most current product specifications and ordering information please visit us at [americanlighting.com](https://www.americanlighting.com).



SCAN TO LEARN
MORE ABOUT
LED COURANT

