



Self Contained High Security Door Kits

Includes Door, Frame, Locking Device, Hardware, & Fasteners Pre Installed



STC & RF

Self Contained High Security Door Kits
Built To Your Specifications.

One Call. One Shipment. One Install.

LOCKMASTERS[®]
INCORPORATED

Door-In-A-Box Kits

Self Contained,
Built To Your Specifications.



Benefits of our Door-In-A-Box Program

Eliminates Potential Hardware Issues

Our door packages are assembled, eliminating potential hardware issues. Our trained installers mount your specified locking device and strike during assembly, so you are assured compatibility with the door and frame.

No Need For Multiple Vendors

When you order a Door Kit from Lockmasters, you work with one customer service representative for everything. No more multiple phone calls, multiple orders, multiple shipments. One Call. One Shipment. One Install.

More Efficient Installation Reduces Expenses & Downtime

One shipment contains everything you need. The fully assembled doors come ready to set into the door opening. No need for multiple installers anymore. One shipment also means reduced downtime waiting on products.

Improved Door & Locking Device Functionality

Since the doors are built to your exact security specifications and dimensions you are assured of proper door and lock function after installation.

Industry's Best Customer Support

Let our experienced staff assist you in building a door kit that meets all your security requirements. From pre-order to post-installation, our staff is here to make your door installation as smooth as possible.

One Warranty

All components' warranties are managed by Lockmasters. Door and frame are a mounted assembly with a 14-month warranty after shipment.

Technical Expertise

We can answer your technical questions about hardware configuration and compatibility. We have a certified Architectural Hardware Consultant (AHC) on staff to support you.

**One Call.
One Shipment.
One Install.
ONE WARRANTY.**

**Pre-Assembled.
One Contact.
Cost Effective.
Functional.
Support.**

STC/RF Metal Doors

Ideal for Tempest Applications

SCIF Compliant
Available For
STC/RF 50-55 Doors

DOORS	STC 50	STC 52	STC 53	STC 55
RF Rating	40-60db	40-60db	40-60db	40-60db
Door Thickness	1-3/4"	1-3/4"	2-1/4"	3"
Door Bottom	Automatic Level Swing	Super H - Full Mortise Adjustable	Super H - Full Mortise Adjustable	Super H - Full Mortise Adjustable
Standard Sizes	3070, 3080 6070 or 6080 with Mullion			
Other Sizes	Single Door Sizes = 2' x 6'8" to 4' x 8' Double Door Sizes = 4' x 6'8" to 8' x 10' (With Mullion)			

DOORS:

- Internal Sound Retardant Core & Isolator Perimeter Edge Construction.
- No Lead or Asbestos in Core (U.S. Patent No. 5,417,029)
- 16-gauge CR Steel Meeting ASTM A366 Specification
- Fully Reinforced to Support Mortise & Surface Mounted Hardware
- Concealed Electric Power Transfer (EPT) & Continuous Conduit Raceway
- Fire Labeled Units Available. UL10B & UL10C Compliant
- Door Bottom Seal for Grounding & Adjustment for Cam-Lift Hinges
- Primed Gray Finish

FRAMES:

- 2-Piece Split Jam for Use with Existing Walls - No Welding Required
- 14-gauge Factory Welded Frame
- Perimeter Acoustic Seals
- Standard Frame Anchors - Punched & Dimpled
- Mineral Rookwool Included (Grout Free)

INCLUDED HARDWARE:

- Grade 1 Surface Mounted Door Closer
- ADA Compliant Threshold Stainless Steel Plate
- Strike - L/Z Bracket Included for Strike & Closer Arm
- Hinges Cam-Lift, Tamper Proof, Full Mortise, 500 Lb Rating
- LKM10K or Other Rim Device
- Primed Gray Finish

RF Door Quick Ship Program Ships within 6 Weeks

- STC 52/RF 60db
- 3070 or 3080 ONLY
- LKM10K with X10 Lock or LKM10KPE
- 5 Doors or Less Ships in 6 Weeks or Sooner
- 6+ Doors Ships in 8 Weeks or Sooner



- *ADA Compliant Threshold
- *Compliant with Automatic Door Section of ADA
 - LKM10K with ABR
 - Automatic Door Operator
- *1-Piece, Slip-in Frame Available for STC 50
- *STC 50 with Slip-in is RF Rated up to 103db

*The 6 Weeks is from signed shop drawings to shipment

RF Door built to your specification with your hardware choices - call for quote and lead times.

STC Doors

Stocked & Available within 2-3 Weeks

SCIF Compliant - Available For
STC 47-55 Doors

DOORS	STC 47	STC 50	STC 52	STC 55
Size: 3070, 3080, 6070 or 6080 with Astragal*	✓	✓	✓	3070 ONLY
Door Thickness	1-3/4"	1-3/4"	1-3/4"	3"

DOORS:

- Internal Sound Retardant Core & Isolator Perimeter Edge Construction.
- No Lead or Asbestos in Core (U.S. Patent No. 5,417,029)
- 16-gauge CR Steel Meeting ASTM A366 Specification
- Fully Reinforced to Support Mortise & Surface Mounted Hardware
- Concealed Electric Power Transfer (EPT) & Continuous Conduit Raceway
- Fire Labeled Units Available. UL10B & UL10C Compliant
- Primed Gray Finish

FRAME	STC 47	STC 50	STC 52	STC 55
Adjustable Magnetic Perimeter Seals	✓	✓	✗	✗
Adjustable Compression Perimeter Seals	✗	✗	✓	Dual

FRAMES:

- 2-Piece Split Jam for Use with Existing Walls
- 14-gauge Factory Welded
- Welded-in Anchors
- Mineral Rockwool Included (Grout Free)

INCLUDED HARDWARE	STC 47	STC 50	STC 52	STC 55
Hinges	NRP, Level Swing	Cam-Lift, Tamper Proof, Full Mortise, 500 Lb Rating	Cam-Lift, Tamper Proof, Full Mortise, 500 Lb Rating	Cam-Lift, Tamper Proof, Full Mortise, 500 Lb Rating
Door Bottom	Automatic Level Swing	Super H - Full Mortise Adjustable	Super H - Full Mortise Adjustable	Super H - Full Mortise Adjustable
ADA Compliant Threshold 1/2" High	Mill Finish Aluminum	Mill Finish Aluminum	✓	✓

INCLUDED HARDWARE:

- Grade 1 Surface Mounted Door Closer
- Strike - L/Z Bracket Included for Strike & Closer Arm
- LKM10K Locking Device



- *FF-L-2890C Certified
- *GSA Approved
- *Fully ADA Compliant with ABR
- *90-Minute Fire Rating
- *ABR Hands-Free Egress Available for Personal Safety

***For Other Sizes & Configurations,
Call For Availability**

2-3 Week In-Stock Options

CONTACT US

800.654.0637

Additional STC Door Options

Door-In-A-Box Kits

Wood 49 & 50 Options,
Metal 53 & 55 Options



*Standard Veneer Finish



*Primed Gray Finish

DOORS	STC 49 Wood	STC 50 Wood	STC 53	STC 55
Internal Sound Retardant Core - No Lead or Asbestos in Core	US Patent 6,112,496	US Patent 6,112,497	US Patent 5,417,029	US Patent 5,417,030
Isolator Perimeter Edge Construction	✗	✗	✓	✓
16-gauge CR Steel Meeting ASTM A366 Specification	✗	✗	✓	✓
Fire Labeled Units Available. UL10B & UL10C Compliant	✓	✗	✓	✓
Door Thickness	1-3/4"	2-1/4"	2-3/4"	3"

DOORS:

- Fully Reinforced to Support All Hardware
- Electric Power Transfer (EPT) & Continuous Conduit Raceway

FRAME	STC 49 Wood	STC 50 Wood	STC 53	STC 55
Adjustable Magnetic Perimeter Acoustic Seals	✗	✓	✗	✗
Adjustable Compression Perimeter Acoustic Seals	✓	✓	✗	Dual
Welded-in Anchors	✗	✗	✓	✓

FRAMES:

- 2-Piece Split Jam Main & Back Frame with Covers for Use with Existing Walls
- 14-gauge Factory Welded
- Mineral Rockwool Included (Grout Free)

INCLUDED HARDWARE	STC 49 Wood	STC 50 Wood	STC 53	STC 55
Hinges	Cam-Lift, Tamper Proof, Full Mortise	Cam-Lift, Tamper Proof, Full Mortise	Cam-Lift, Tamper Proof, Full Mortise, 500 Lb Rating	Cam-Lift, Tamper Proof, Full Mortise, 500 Lb Rating
Door Bottom	Automatic Level Swing	Automatic Level Swing	Super H - Full Mortise Adjustable	Super H - Full Mortise Adjustable
ADA Compliant Threshold 1/2" High	Mill Finish Aluminum	Mill Finish Aluminum	Mill Finish Aluminum	✓

INCLUDED HARDWARE:

- Grade 1 Surface Mounted Door Closer
- Strike - L/Z Bracket Included for Strike & Closer Arm
- Locking Device of Your Choice

CONTACT US
800.654.0637

doors@lockmasters.com
www.lockmasters.com

Training Courses



SCIF Acoustical Door Installation

This two-and-a-half day class is designed to show you how to properly install acoustical SCIF (Sensitive Compartmented Information Facility) door. These specialty doors require precise installation to maximize security and maintain the best sound protection possible. Lockmasters' Door in a Box program provides everything you need to install the door in the door kit.

The course will review proper wall construction to support these doors, tools needed, and installation techniques and tips. The hands-on portion of the course will be the installation of an outswing, inswing and double door complete installation so you will be required to lift at least 70 lbs. To make the doors completely operational, we will connect the door closers and the access control system into SCIF locks such as LKM10K series locks.



*****Please note: This is NOT an RF Door Installation Class. That process is very different than STC.*****

Physical Security SCIF Construction ICD-705

The ICD-705 SCIF Training course is ideal for individuals who are interested (or required) in advancing their career by learning how to build, maintain and operate a SCIF.

This 5-day course provides you with the information needed to identify, interpret, and apply common Intelligence Community standards for building, maintaining and operating a SCIF as prescribed in policy directive, ICD 705 and its associated Intelligence Community Standards (ICS), Technical Specifications and other related national policy documents. The Training Program will also provide a collaborative environment for other USG policy developers, such as the DoD/SAP community, that embrace the same basic policy goals and implementation for SAPF. This program will provide valuable security hardware and construction knowledge.



Coming Soon

***RF Door Installation Course &
LKM10K Automatic Bolt Retraction Course***

Education
Contact LSI @ 866-574-8724

Auto Door Operator

Door-In-A-Box Kits Option

Add the LKM7550 Automatic Door Operator with any Door-in-a-Box






Built to endure and operate under the most severe of pedestrian traffic, the Automatic Door Operator provides ease of operation for heavy acoustical doors. The control unit is pre-programmed to work in conjunction with the LKM10K series lockset while operating within ANSI guidelines.

Features:

- Programmed for push-n-go operation
- Designed for use with heavy acoustical doors
- Compatible with cam lift hinges
- Adjustable closing speeds
- Obstruction detection with auto reverse
- Extra-large bearings for the most abusive traffic
- 100% solid gears with ability to operate 400 lb. doors
- Completely enclosed gear train
- Adjustable maximum open up to 180°
- OSHA approved UL 325 & CSA C22.2; MET listing No. E113016
- One Year Warranty

Equipment Includes:

- 36" Heavy Duty Aluminum Header (48" Available)
- End Brackets for Header
- Adjustable Operator Control Panel
- Heavy Duty Motor and Gearbox
- Heavy Duty Push/Pull Arm
- Accessory Package with hardware and manuals



Part Number:
Door Handing

LKM7550LPULL
LH

LKM7550RPULL
RH

LKM7550RPUSH
LHR

LKM7550LPUSH
RHR

LOCKMASTERS[®]
INCORPORATED

CONTACT US
800.654.0637

doors@lockmasters.com
www.lockmasters.com

Ideal for Both New Construction & Retrofit Projects

What Does The Door-In-A-Box Package Include?

Lockmasters' High Security Door Kits include the door, frame, locking device, hardware and fasteners all installed per your specifications and shipped in one convenient package.

In an effort to provide faster service we stock the more popular STC50 & STC52 (Size 3070 and 3080) hollow metal doors with the standard specifications (see inside). These doors ship in two to three weeks.



ADDED VALUE

Use the LockOne™ LKM10K Lock Series

Select one of the locks from Lockmasters' LKM10K Lock Series for increased value.

The LKM10K Lock Series offers the following models:

- Push Pull Model
- Push Pull ABR Model
- Panic Bar Model
- Panic Bar ABR Model
- Exit Only Model
- Lock Down Model
- Exit Only w/ Alarm

Full ADA Compliance

- Threshold
- Hands-Free Egress When Using the ABR Models

Need a 90 Minute Fire Rated Locking Device?

Ask for a LKM10K Series lock to be installed in conjunction with a Kaba Mas X-10.

Installation Kit Includes

- Finish Hardware - installed
- Rock Wool sound insulation required to install frame is provided (6-12 16 density)
- Metal shims provided - hinge and frame anchoring shims
- Anchor bolts and all other fasteners provided
- Latex caulk to seal the frame to wall junction and sealant to bed threshold provided.
- Installation instructions and shop drawings provided
- Hinges
- Threshold

Shipping

Doors, frames, hardware and accessories are securely shipped on a wooden pallet inside of a 1" corrugated cardboard box with foam.



RF Doors shipped in protective crate.

LOCKMASTERS[®]
I N C O R P O R A T E D

Revised March 2024

CONTACT US
800.654.0637

doors@lockmasters.com
www.lockmasters.com