SAFETY DATA SHEET

SNOWBERRY ICICLES FRAGRANCE OIL

Date Printed 08/30/2022

Regulation OSHA HCS 2012, 29 CFR 1910.120

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: Snowberry Icicles Fragrance Oil

IndiMade Brands, LLC DBA The Flaming Candle
71 Southern Court
Hiram, GA 30141
(770) 505-4999
www.TheFlamingCandle.com

Emergency Phone: (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

Product Use: Fragrance
Not recommended for: Ingestion

SECTION II - HAZARDS IDENTIFICATION

EDI2 Serious eye damage / eye irritation 2
REP2 Reproductive toxicity 2
SS1 Sensitisation skin 1

Warning

H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H361 - Suspected of damaging fertility or the unborn child.

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P281 - Use personal protective equipment as required.
P302+P352 - IF ON SKIN: Wash with plenty of water
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to an approved waste disposal plant

SECTION III - INGREDIENT AND HAZARD INFORMATION

Material	C.A.S	EINECS	GHS Classification	Percent %
BENZYL ALCOHOL	100-51-6		ATO4, EDI2 ; H302, H319	[6-8]
ETHYL VANILLIN	121-32-4		EDI2 ; H319	[4-6]
VELTOL PLUS	4940-11-8		ATO4, FL4 ; H227, H302	[2-4]
D-LIMONENE	5989-27-5		AH1, FL3, SCI2, SS1B ; H226, H304, H315, H317	[2-4]
VANILLIN	121-33-5		EDI2 ; H319	[0-2]
VERDOX	88-41-5		FL4 ; H227	[0-2]
FURANEOL	3658-77-3		ATO4, EDI1, SCI1B, SS1A ; H302, H314, H317, H318	[0-2]
ETHYL LINALOOL	10339-55-6		EDI2, FL4, SCI2, SS1B ; H227, H315, H317, H319	[0-2]
PIN-2(10)-EN	127-91-3		AH1, FL3, SCI2, SS1B ; H226, H304, H315, H317	[0-2]
COUMARIN	91-64-5		ATO4, SS1B ; H302, H317	[0-2]
LINALYL ACETATE	115-95-7		EDI2, FL4, SCI2, SS1B ; H227, H315+H320, H317	[0-2]
ALDEHYDE C-16	77-83-8		SS1B ; H317	[0-2]
P-MENTHA-1,4-DIENE	99-85-4		AH1, FL3, REP2 ; H226, H304, H361	[0-2]
EXALTOLIDE TOTAL	106-02-5		SS1B ; H317	[0-2]
LINALOOL	78-70-6		EDI2, FL4, SCI2, SS1B ; H227, H315, H317, H319	[0-2]
GERANYL ACETATE PUR	105-87-3		SCI2, SS1B ; H315, H317	[0-2]
ALLYL CYCLO HEXYL PROPIONATE	2705-87-5		ATD4, ATI4, ATO4, FL4, SS1A ; H227, H302+H312, H302+H312+H332, H302+H332, H317	[0-2]
.ALPHA.-PINENE	80-56-8		AH1, ATO4, FL3, SCI2, SS1B ; H226, H302, H304, H315, H317	[0-2]

SECTION IV - FIRST AID MEASURES

INHALATION
In case of excessive inhalation, remove the person to fresh air.
Obtain medical advice immediately.
EYE CONTACT
Flush immediately with water for at least 15 minutes.
If any sign of tissue damage or persistent irritation is apparent, obtain medical advice.
SKIN CONTACT
Remove contaminated clothing.
Wash affected area thoroughly with soap and water.
Get medical attention if irritation develops or persists.
INGESTION
Rinse mouth with water. Give up to ½ liter of milk or water to drink.
Do not induce vomiting.
Obtain medical advice immediately.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA
( ) Water, (X) Foam, (X) Dry Chemical, (X) Carbon Dioxide.

FIRE FIGHTING INSTRUCTIONS
Spray extinguishing media directly into base of flames.
Water is not suitable for use on burning material, but may be used to cool containers exposed to heat .
Exercise caution when fighting any chemical fire.
Treat as chemical fire, emits toxic fumes under fire condition .

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL & LEAK PROCEDURES
Remove all sources of ignition. Provide proper ventilation.
Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.
Wash area with soap and water.

SECTION VII - HANDLING AND STORAGE

Not meant for consumption, may be harmful if swallowed.
Avoid skin contact.
Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.
STORAGE
Keep containers tight and upright to prevent leakage.
Keep containers closed when not in use.
Do Not Store Over 140°F (60°C).
Keep from freezing. If frozen when received allow to reach room temperature and mix well before using:

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Use local exhaust ventilation meeting ACGIH design criteria.

PERSONAL PROTECTIVE EQUIPMENT
Oil or chemical resistant gloves.
Splash-resistant safety glasses.

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	NIOSH Exposure Limits
ISO-AMYL ACETATE 123-92-2	100 ppm TWA; 525 mg/m3 TWA	100 ppm STEL (listed under Pentyl acetate, all isomers) 50 ppm TWA (listed under Pentyl acetate, all isomers)	100 ppm TWA; 525 mg/m3 TWA
ETHYL ACETATE 141-78-6	400 ppm TWA; 1400 mg/m3 TWA	400 ppm TWA	400 ppm TWA; 1400 mg/m3 TWA
ACETOPHENONE 98-86-2		10 ppm TWA	

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear
Color: Colorless to pale yellow
Odor: Characteristic

Physical State: Liquid
Vapor Density: Not Available
Vapor pressure : 0.111 mmHg @20°C
VOC : 5.173276 % (CARB Method 310)

Evaporation Rate: Not Available
Crystals (w/w%): 10.396
Specific Gravity @25ºC: 0.957 - 0.977
Refractive Index @25ºC: Not available
Flash point (°C): 96
Flash point (°F): 204

SECTION X - STABILITY AND REACTIVITY

This product is stable in most media.

CONDITIONS TO AVOID
Avoid heat, sparks and flame.
Avoid strong oxidizing agents.
Avoid accidental discharge to sewers and natural waters.

Hazardous polymerization will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Estimate
LD50 Oral : Not available
LD50 Dermal : Not available
LD50 Inhalation : Not available

Routes of Entry :
Ingestion : May be harmful if swallowed
Skin Contact: May cause skin irritation
Eye Contact: May cause eye irritation
Inhalation: May cause respiratory tract irritation

Target Organs:
None

SECTION XII - ECOLOGICAL INFORMATION

Prevent contamination of soil, ground and surface water.
No ecological studies have been carried out on this product.

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose of in accordance with State, Local and Federal Regulations.

SECTION XIV - TRANSPORT INFORMATION

Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group
DOT	Not regulated, Non Hazardous			
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS) (GALAXOLIDE 100% PURE)	3082	9	III
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS) (GALAXOLIDE 100% PURE)	3082	9	III

SECTION XV - REGULATORY INFORMATION

TSCA: We certify that all components of this product are registered or exempt under regulations of the Toxic Substances Control Act.

SARA 313: This proprietary mixture contains the following controlled chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Parts 372:

111-90-0	DIETHYLENE GLYCOL MONOETHYL	0.0368 %
98-86-2	ACETOPHENONE	0.0248 %

SECTION XVI - OTHER INFORMATION

The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.

Hazardous Material Information System (HMIS)

HEALTH		1
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B

HMIS & NFPA Hazard Rating Legend
*** = Chronic Health Hazard**
0 = INSIGNIFICANT
1 = SLIGHT
2 = MODERATE
3 = HIGH